

New Zealand

1. Identification of Substance & Company

Product

Product name Viking Surface sealer Part B
Other names Viking Primer Sealer Part A

Product code VPS100B HSNO approval HSR002670

Approval descriptionSurface Coatings and Colourants (Subsidiary Hazard) Group Standard

2017

UN number 3082 DG class 9

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID (contains

bisphenol A)

Packaging group III Hazchem code 3Z

Uses part B - epoxy sealer

Company Details

Company Viking Roofspec

Physical Address80 Alexander CrescentPO Box 14 451OtaraPanmureAucklandAuckland 1741

New Zealand 0800 729 799 0800 729 788

Website www.vikingroofspec.co.nz

Emergency Telephone Number: 0800 764 766

2. Hazard Identification

Approval

Telephone

Fax

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002670, Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2017). The substance has been classified as hazardous according to the criteria in the Hazardous substances (Minimum Degrees of Hazard) Notice 2017.

Classes Hazard Statements

6.3B H316 - Causes mild skin irritation. 6.4A H320 - Causes eye irritation.

6.5B H317 - May cause an allergic skin reaction.

6.9B H371 - May cause damage to organs through prolonged or repeated exposure.

9.1B H411 - Toxic to aquatic life with long lasting effects.

SYMBOLS

WARNING







Other Classifications

There are no other classifications that are known to apply.

Precautionary Statements

P102 - Keep out of reach of children.

P103 - Read label before use.

P260 - Do not breathe vapours.

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.



Viking Surface sealer Part B

Safety Data Sheet

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 - IF exposed or concerned: Get medical advice/ attention.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention. P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P391 - Collect spillage. P405 - Store locked up.

Composition / Information on Ingredients

Component	CAS/ Identification	Conc (%)
Bisphenol A resin	25036-25-3	10-30%
calcium carbonate	471-34-1	<10%
ingredients not contributing to HSNO classes, including water	mixture	balance

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

4. **First Aid**

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid

Ready access to running water is required. Accessible eyewash is required.

facilities

Exposure Swallowed

Do NOT induce vomiting. Give a glass of water to drink. Contact a doctor.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

> skin with water/shower. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing

before reuse.

Inhaled Generally, inhalation of vapours is unlikely to result in adverse health effects. If

> coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for

transport and contact a doctor.

Advice to Doctor

Treat symptomatically

Firefighting Measures

Fire and explosion hazards:

Suitable extinguishing

substances:

3Z

Unsuitable extinguishing substances:

Products of combustion:

Unknown.

Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water.

May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying

There are no specific risks for fire/explosion for this chemical. It is non-flammable.

spaces, forming potentially explosive mixtures.

Carbon dioxide, extinguishing powder, foam.

Protective equipment:

No special measures are required.

Hazchem code:

Accidental Release Measures

Containment

If greater than 1000L is stored, secondary containment and emergency plans to manage any potential spills must be in place. In all cases design storage to prevent discharge to

Emergency procedures

In the event of spillage alert the fire brigade to location and give brief description of

Page 2 of 7 August 2018

Product Name: Viking Surface sealer Part B



hazard.

Stop the source of the leak, if safe to do so. Shut off all possible sources of ignition. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Do not use sawdust. Prevent by whatever means possible any spillage from entering drains, sewers, or water

courses. (If this occurs contact your regional council immediately).

Clean-up method

Use absorbent (soil, sand or other inert material). Rags are not recommended for the clean-up of spills, as they may create fire or environmental hazard. Collect and seal in

properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.

Disposal Mop up and collect recoverable material into labelled containers for recycling or salvage.

Recycle containers wherever possible. This material may be suitable for approved

landfill. Dispose of only in accord with all regulations.

Precautions Wear protective equipment to prevent skin and eye contamination and the inhalation of

vapours. Work up wind or increase ventilation.

7. Storage & Handling

Storage Avoid storage of harmful substances with food. Store out of reach of children.

Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in

Section 10.

Handling Keep exposure to a minimum, and minimise the quantities kept in work areas. See

section 8 with regard to personal protective equipment requirements. Avoid skin and eye

contact and inhalation of vapour, mist or aerosols.

8. Exposure Controls / Personal Protective Equipment

Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ Workplace Ingredient WES-TWA* WES-STEL Exposure Stds calcium carbonate 10mg/m³ data unavailable

Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

Personal Protective Equipment

Eyes



Avoid contact with eyes. Use safety glasses and or chemical splash goggles if splashes are possible. Select eye protection in accordance with AS/NZS 1337.

Skin



Avoid repeated or prolonged skin contact. Wear overalls, rubber boots and impervious gloves. Nitrile gloves are recommended. Protective gloves or suitably resistant material must comply with AS 2161. Replace frequently. Gloves should be checked for tears or holes before use. Protective clothing must comply with AS 2919, AS3765.1 or AS3765.2. PVC or rubber boots must comply with AS/NZS 2210.2 and selected and maintained in accordance with AS/NS2210.1. Remove protective clothing and wash exposed areas with soap and water prior to eating, drinking or smoking. Wash hands after handling. A respirator when airborne concentrations approach the WES (section 8). Respirators must have filters appropriate to the duty and comply with AS/NZS1716 and selected, used and maintained in accordance with AS/NS 1715. Use a respirator with an organic vapour cartridge. If using a respirator, ensure that the cartridges are correct for the potential air contamination and are in good working order. Fit testing and clear guidelines and training for use and maintenance of PPE are necessary.

Respiratory



WES Additional Information

Not applicable Page 3 of 7 August 2018

^{*} These workplace exposure standards are also Prescribed Exposure Standards (PES) under the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016.



9. Physical & Chemical Properties

Appearance white liquid Odour no odour Hq 8.0-8.5 Vapour pressure no data **Viscosity** no data **Boiling point** 100°C Volatile materials 58% Freezing / melting point no data

Solubility soluble in water
Specific gravity / density 1.25g/cm³
Flash point no data
Danger of explosion no data
Auto-ignition temperature no data
Upper & lower flammable limits
Corrosiveness non corrosive

10. Stability & Reactivity

Stability Stable

Conditions to be avoided Containers should be kept closed in order to avoid contamination. Keep from extreme

Oxides of carbon and nitrogen, smoke.

heat and open flames.

Incompatible groups Strong oxidisers, strong acids and bases, aluminium.

Substance Specific none known

Incompatibility

Hazardous decomposition

products

Hazardous reactions none known

11. Toxicological Information

Summarv

IF SWALLOWED: may cause irritation to the mouth, throat and gastrointestinal system.

IF IN EYES: may cause serious eye irritation.

IF ON SKIN: causes skin irritation, may cause an allergic skin reaction.

IF INHALED: may cause respiratory irritation.

Supporting Data

Acute Oral Using LD₅₀'s for ingredients, the calculated LD₅₀ (oral, rat) for the mixture is >5,000

mg/kg. Data considered includes: Bisphenol A diglycidyl ether - bisphenol A copolymer

15600mg/kg (mouse), 10.7mL/kg (rat), calcium carbonate 6450mg/kg (rat).

 $\textbf{Dermal} \qquad \qquad \textbf{Using LD}_{50} \text{'s for ingredients, the calculated LD}_{50} \text{ (dermal, rat) for the mixture is } >5000$

mg/kg. Data considered includes: Bisphenol A diglycidyl ether - bisphenol A copolymer

>20mL/kg (rabbit).

Inhaled No evidence of acute inhalation toxicity.

Eye The mixture is considered to be an eye irritant, because some of the ingredients present

are considered eye irritants in more concentrated form.

Skin The mixture is considered to be a skin irritant, because some of the ingredients present

are considered skin irritants in more concentrated form.

Chronic Sensitisation The mixture is considered to be a contact sensitizer, because at least one of the

ingredients present in greater than 0.1% is known to be a contact sensitizer. No ingredient present at concentrations > 0.1% is considered a mutagen. No ingredient present at concentrations > 0.1% is considered a carcinogen.

CarcinogenicityReproductive /
No ingredient present at concentrations > 0.1% is considered a carcinogen.
No ingredient present at concentrations > 0.1% is considered a reproductive or developmental toxicant or have any effects on or via lactation.

Systemic developmental toxicant or nave any effects on or via lactation.

The mixture is considered to be a suspected target organ toxical t

The mixture is considered to be a suspected target organ toxicant, because bisphenol A

resin present in greater than 1% is suspected to be a target organ toxicant (EPA). None known.

Aggravation of

Mutagenicity

existing conditions



12. **Ecological Data**

Summary

This mixture is considered toxic towards aquatic organisms with long lasting effects.

Supporting Data

Aquatic Using EC₅₀'s for ingredients, the estimated EC₅₀ for the mixture is between 1 mg/L and

10 mg/L. Data considered includes: Bisphenol A ether resin 1.2 mg/L (96h,

Oncorhynchus mykiss), 2.7 mg/L (48h, Daphnia magna).

Bioaccumulation No data for the mixture. Degradability No data for the mixture. Soil No evidence of soil toxicity.

Terrestrial vertebrate No evidence of toxicity towards terrestrial vertebrates. Terrestrial invertebrate No evidence of toxicity towards terrestrial invertebrates.

Biocidal no data

Environmental effect levels No EELs are available for this mixture or ingredients

Disposal Considerations

Restrictions There are no product-specific restrictions, however, local council and resource consent

conditions may apply, including requirements of trade waste consents.

Disposal of this product must comply with the Hazardous Substances (Disposal) Notice Disposal method

2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore

rendered non-hazardous before discharge to the environment.

Contaminated packaging Disposal of contaminated packaging must comply with the Hazardous Substances

(Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible

reuse or recycle packaging.

Transport Information

Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007

Transport according to NZS 5433 (Transport of Hazardous Substances on Land). Considered a dangerous good for

transport.

UN number: 3082 Proper shipping name: **ENVIRONMENTALLY HAZARDOUS**

SUBSTANCE, LIQUID (contains

bisphenol A)

Class(es) Packing group: Ш **Precautions:** Marine Pollutant 3Z Hazchem code:

> 15. **Regulatory Information**

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002670, Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2017.

All Ingredients appear on the NZIoC.

Specific Controls

Key workplace requirements are:

SDS To be available within 10 minutes in workplaces storing any quantity. Inventory An inventory of all hazardous substances must be prepared and maintain All hazardous substances should be appropriately packaged including sul Packaging

manufactured for own use or have been supplied

Labelling Must comply with the Hazardous Substances (Labelling) Notice 2017.

Emergency plan Required if > 1000L is stored.

Not required. Certified handler Tracking Not required.

Bunding & secondary containment Required if > 1000L is stored. Signage Required if > 1000L is stored.

Location compliance certificate Not required. Flammable zone Not required.

Page 5 of 7 August 2018

Product Name: Viking Surface sealer Part B



Viking Surface sealer Part B

Safety Data Sheet

Fire extinguisher Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

16. Other Information

Abbreviations

Approval HSR002670, Surface Coatings and Colourants (Subsidiary Hazard) Group **Approval Code**

Standard 2017 Controls, EPA. www.epa.govt.nz **CAS Number** Unique Chemical Abstracts Service Registry Number

Ceiling Ceiling Exposure Value: The maximum airborne concentration of a biological or chemical

agent to which a worker may be exposed at any time.

Controls Matrix List of default controls linking regulation numbers to Matrix code (e.g. T1, I16). EC_{50}

Ecotoxic Concentration 50% - concentration in water which is fatal to 50% of a test

population (e.g. daphnia, fish species) Environmental Protection Authority (New Zealand) FΡΔ

HAZCHEM Code Emergency action code of numbers and letters that provide information to emergency

services, especially fire fighters

Hazardous Substances and New Organisms (Act and Regulations) **HSNO**

IARC International Agency for Research on Cancer LEL/UEL Lower Explosive Limit/ Upper Explosive Limit

 LD_{50} Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).

LC₅₀ Lethal Concentration 50% - concentration in air which is fatal to 50% of a test population

(usually rats)

MSDS (SDS) Material Safety Data Sheet (or Safety Data Sheet)

NZIoC New Zealand Inventory of Chemicals

PES Prescribed Exposure Standard means a WES or a biological exposure standard that is

prescribed in a regulation, a safe work instrument or an approval under HSNO (including

group standards).

STEL Short Term Exposure Limit - The maximum airborne concentration of a chemical or

biological agent to which a worker may be exposed in any 15 minute period, provided the

TWA is not exceeded

TWA Time Weighted Average – generally referred to WES averaged over typical work day

(usually 8 hours)

UN Number United Nations Number

Workplace Exposure Standard - The airborne concentration of a biological or chemical **WES**

> agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring

using procedures that gather air samples in the worker's breathing zone.

References

Unless otherwise stated comes from the EPA HSNO chemical classification information Data

database (CCID).

EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances) **Controls**

Regulations 2017, www.legislation.govt.nz

WES The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available

on their web site - www.worksafe.govt.nz.

Other References: Suppliers SDS, EU ECHA, ingredients SDS's, ChemIDplus

Review

Date Reason for review **REVIEW DATE** Not applicable - new SDS

Disclaimer



This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely HSNO classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 9 940 30 80.

