

## Identification of Substance & Company

#### **Product**

Torch-on Primer Water based **Product name** 

Other names General Eco-Primer

**Product code** 20L - SES300, 1L - SES297

**HSNO** approval non hazardous non hazardous Approval description

**UN number** NA **DG class** NA **Proper Shipping Name** NA Packaging group NA Hazchem code NA

Coating/bituminous paint with water base for the building industry Uses

#### **Company Details**

Company Viking Roofspec

**Physical Address** 80 Alexander Crescent PO Box 14 451 Otara Panmure Auckland Auckland 1741 New Zealand

New Zealand 0800 729 799 Telephone 0800 729 788

Website www.vikingroofspec.co.nz

## **Emergency Telephone Number: 0800 764 766**

## **Hazard Identification**

#### **NZ** Approval

This product is not considered hazardous under the Hazardous Substances and New Organisms Act (HSNO), according to the criteria in the Hazardous substances (Hazard Classification) Notice 2020.

#### **GHS 7 Classes**

#### **Hazard Statements**

none

Fax

#### **SYMBOLS**

none

#### **Other Classifications**

There are no other classifications that are known to apply.

#### **Precautionary Statements**

none

#### 3. **Composition / Information on Ingredients** CAS/ Identification Component Conc (%) Bitumen 8052-42-4 not specified **Emulsifiers** Proprietary not specified Water 7732-18-5 not specified

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

### **First Aid**

## **General Information**

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid facilities

Ready access to running water is recommended.

Page 1 of 6 May 2023



**Exposure** 

**Swallowed** The product is not considered harmful if swallowed. In case of persistent symptoms,

contact the National Poisons Centre or a Doctor.

Eye contact If product gets in eyes, wash material from them with running water for several minutes.

If symptoms persist, seek medical advice.

Flush with large amounts of water. Remove all contaminated clothing. Contact a doctor Skin contact

if experiencing symptoms.

alcohol resistant foam.

Unknown.

6.

Inhaled Generally, inhalation of vapours is unlikely to result in adverse health effects. If

> coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for

transport and contact a doctor.

**Advice to Doctor** 

Treat symptomatically

5. **Firefighting Measures** 

Fire and explosion hazards:

Suitable extinguishing substances:

Unsuitable extinguishing

substances:

Products of combustion:

Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water.

There are no specific risks for fire/explosion for this chemical. It is non-flammable.

Carbon dioxide, extinguishing powder or water jet. Fight larger fires with water jet or

May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying

spaces, forming potentially explosive mixtures.

No special measures are required.

Protective equipment:

Hazchem code:

NA

Containment

**Precautions** 

**Emergency procedures** 

**Accidental Release Measures** In all cases design storage to prevent discharge to storm water.

In the event of spillage alert the fire brigade to location and give brief description of hazard. Stop the source of the leak, if safe to do so. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Prevent by whatever means possible any spillage from entering drains, sewers, or water courses. (If this occurs contact your

regional council immediately).

Clean-up method Use absorbent (soil, sand or other inert material). Rags are not recommended for the

> clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or

waterways has occurred advise local emergency services.

**Disposal** Mop up and collect recoverable material into labelled containers for recycling or salvage.

Recycle containers wherever possible. This material may be suitable for approved

landfill. Dispose of only in accord with all regulations. No special protective clothing is normally necessary.

Storage & Handling

Avoid storage of harmful substances with food. Store out of reach of children. Storage

Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in

Section 10.

Handling Keep exposure to a minimum, and minimise the quantities kept in work areas. See

section 8 with regard to personal protective equipment requirements.

**Exposure Controls / Personal Protective Equipment** 

**Workplace Exposure Standards** 

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m3 for respirable particulates and 10mg/m3 for inhalable particulates when limits have not otherwise been established.

**NZ Workplace** Ingredient **WES-TWA WES-STEL** 

**Exposure Stds** No ingredients listed



### **Engineering Controls**

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

#### **Personal Protective Equipment**

Eyes Protective eyewear is not normally necessary when using this product. However, it

always prudent to use protective eyewear if splashes are likely.

**Skin** Protective gloves and clothing are not normally necessary. However, it is prudent to

wear gloves when handling chemicals in bulk or for an extended period of time.

Respirator is not required under normal use. Ensure adequate natural ventilation. If

product is being used in confined conditions, the use of a mask or respirator may be

preferred.

#### **WES Additional Information**

Not applicable

Respiratory

	9. Physical & Chemical Properties
Appearance	brown liquid
Odour	no data
Odour Threshold	no data
pH	8-10
Freezing/melting point	no data
Boiling Point	no data
Flashpoint	no data
Flammability	no data
Upper & lower flammable limits	no data
Vapour pressure	no data
Vapour density	no data
Specific gravity/density	1kg/L @20°C
Solubility	water soluble
Partition coefficient	no data
Auto-ignition temperature	no data
Decomposition temperature	no data
Viscosity	no data

### 10. Stability & Reactivity

Stability Stable

**Particle Characteristics** 

Conditions to be avoided Containers should be kept closed in order to avoid contamination. Keep from extreme

heat and open flames.

no data

 Incompatible groups
 none known

 Substance Specific
 none known

 Incompatibility
 none known

 Hazardous decomposition
 none known

 products

Hazardous reactions none known

## 11. Toxicological Information

## Summary

IF IN EYES: direct contact may cause eye irritation.

IF ON SKIN: prolonged or repeated contact with skin may result in slight skin irritation.

IF INHALED: excessive exposure to vapours or spray mist may cause slight irritation to throat.

CHRONIC: heating bitumen may release emissions that are probably carcinogenic to humans if inhaled.

#### **Supporting Data**

Acute Oral No evidence of acute oral toxicity.

**Aspiration** This mixture is not considered an aspiration hazard.

**Dermal** No evidence of acute dermal toxicity.

Page 3 of 6 May 2023



Inhaled No evidence of acute inhalation toxicity. Fumes/vapours may be irritating to throat.

Eye The mixture is considered to be an eye irritant.

Skin The mixture is considered to be a skin irritant.

Chronic Sensitisation No ingredient present at concentrations > 0.1% is considered a sensitizer.

Mutagenicity No ingredient present at concentrations > 0.1% is considered a mutagen.

**Carcinogenicity**Bitumen is classed by IARC as possibly carcinogenic to humans, group 2A. This refers to oxidsed bitumen and their emissions during for roofing, e.g. when heated to a high

temperature. This mixture is a water based emulsified bitumen and is used at room temperature. No emissions are expected during use. No studies have been carried out on

water based emulsions of bitumen.

Reproductive / Developmental Systemic Aggravation of No ingredient present at concentrations > 0.1% is considered a reproductive or

developmental toxicant or have any effects on or via lactation.

No ingredient present at concentrations > 1% is considered a target organ toxicant.

Aggravation of None known. existing conditions

12. Ecological Data

**Summary** 

This mixture is not expected to be ecotoxic in the environment.

**Supporting Data** 

Aquatic No data for mixture is available. Using EC<sub>50</sub>'s for ingredients, the estimated EC<sub>50</sub> for the

mixture is > 100 mg/L.

Bioaccumulation Not applicable.

Degradability Not applicable.

Soil No data available for the mixture.

Terrestrial vertebrate This product is not considered harmful to terrestrial vertebrates. No LC<sub>50</sub> (diet) data for

ingredients are available and the classification is based on the LD50 (oral) – see section

11 - oral toxicity.

Terrestrial invertebrate

The mixture is not considered harmful to terrestrial invertebrates.

Biocidal Not applicable

13. Disposal Considerations

Restrictions Local council and resource consent conditions may apply, including requirements of trade

waste consents.

Disposal method Disposal of this product must comply with the Hazardous Substances (Disposal) Notice

2017 and the requirements of the Resource Management Act for which approval should

be sought from the Regional Authority.

**Contaminated packaging** Disposal of contaminated packaging must comply with the Hazardous Substances

(Disposal) Notice 2017 clause 12. Ensure that the package is renedered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible

reuse or recycle packaging.

14. Transport Information

Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007

There are no specific restrictions for this product (not a dangerous good).

UN number:NAProper shipping name:NAClass(es)NAPacking group:NAPrecautions:NAHazchem code:NA

**IMDG** 

UN number:NAProper shipping name:NAClass(es)NAPacking group:NAPrecautions:NAEmSNA

**IATA** 

UN number: NA Proper shipping name: NA Class(es) NA Packing group: NA Precautions: NA ERG Guide NA

Page 4 of 6 May 2023



## 15. Regulatory Information

This substance is not considered to be hazardous under GHS 7. All ingredients appear on the NZIoC.

#### **Specific Controls**

Key workplace requirements are:

SDS Not required.

Inventory An inventory of all hazardous substances must be prepared and maintained.

Packaging All hazardous substances should be appropriately packaged including substances

that have been decanted, transferred or manufactured for own use or have been

supplied

Labelling Must comply with the Hazardous Substances (Labelling) Notice 2017.

Emergency plan Not required. Approved handler Not required. Tracking Not required. Bunding & secondary containment Not required. Signage Not required. Location test certificate Not required. Not required. Flammable zone Fire extinguisher Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

#### Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

#### 16. Other Information

#### **Abbreviations**

Approval Code Approval non hazardous, non haz Controls, EPA. www.epa.govt.nz

CAS Number Unique Chemical Abstracts Service Registry Number

EC<sub>50</sub> Ecotoxic Concentration 50% − concentration in water which is fatal to 50% of a test

population (e.g. daphnia, fish species)

Environmental Protection Authority (New Zealand)

**GHS** Globally Harmonised System of Classification and Labelling of Chemicals, 7<sup>th</sup> revised

edition, 2017, published by the United Nations.

**HAZCHEM Code** Emergency action code of numbers and letters that provide information to emergency

services, especially fire fighters

**HSNO** Hazardous Substances and New Organisms (Act and Regulations)

IARC International Agency for Research on Cancer

**LEL** Lower Explosive Limit

**LD**<sub>50</sub> Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).

**LC**<sub>50</sub> Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population

(usually rats)

NZIoC New Zealand Inventory of Chemicals

STEL Short Term Exposure Limit - The maximum airborne concentration of a chemical or

biological agent to which a worker may be exposed in any 15 minute period, provided the

TWA is not exceeded

STOT RESystem Target Organ Toxicity – Repeated ExposureSTOT SESystem Target Organ Toxicity – Single Exposure

TWA Time Weighted Average – generally referred to WES averaged over typical work day

(usually 8 hours)

UELUpper Explosivé LimitUN NumberUnited Nations Number

WES Workplace Exposure Standard - The airborne concentration of a biological or chemical

agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring

using procedures that gather air samples in the worker's breathing zone.

Page 5 of 6 May 2023



#### References

Data

Unless otherwise stated comes from the EPA HSNO chemical classification information

database (CCID).

Controls EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances)

Regulations 2017, www.legislation.govt.nz

WES The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available

on their web site - www.worksafe.govt.nz.

Other References: Suppliers SDS, EU ECHA, ChemIDplus

#### **Review**

DateReason for reviewJuly 2018Not applicable – new SDSMay 20235 yearly update, HSNO to GHS 7

#### **Disclaimer**

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely GHS 7 classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 21 1040951.

