

Identification of Substance & Company

Product

Product nameLow-VOC untackProduct codenot assignedHSNO approvalHSR002515

Approval description Aerosols (Flammable) Group Standard 2020

 UN number
 3501

 DG class
 2.1

Proper Shipping Name CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S. (Acetone,

Perchlorobenzotrifluoride)

Packaging group NA Hazchem code 2YE

Uses Adhesive remover/solvent

Company Details

Company Viking Roofspec

Physical Address 80 Alexander Crescent PO Box 14 451 Otara Panmure

Auckland Auckland 1741
New Zealand New Zealand

 Telephone
 0800 729 799

 Fax
 0800 729 788

Website www.vikingroofspec.co.nz

Emergency Telephone Number: 0800 764 766

2. Hazard Identification

NZ Approval

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002515, Aerosols (Flammable) Group Standard 2020). The substance has been classified as hazardous according to the criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

GHS 7 Classes Hazard Statements

Flammable aerosol category 1 H222 - Extremely flammable aerosol.

H280 - Contains gas under pressure; may explode if heated.

Skin irritant category 2 H315 - Causes skin irritation.

Eye irritant category 2 H319 - Causes serious eye irritation.

Skin sensitiser category 1 H317 - May cause an allergic skin reaction.

STOT* single exposure category 3 H336 - May cause drowsiness or dizziness.

Chronic aquatic category 2 H411 - Toxic to aquatic life with long lasting effects.

*STOT – System target organ toxicity

SYMBOLS

DANGER



Other Classifications

There are no other classifications that are known to apply.



Product Name: Low-VOC untack

Precautionary Statements

Prevention P102 - Keep out of reach of children.

P103 - Read label before use.

P210 - Keep away from ignition sources. No smoking.

P211 - Do not spray on an open flame or other ignition source. P251 - Pressurized container: Do not pierce or burn, even after use.

P261 - Avoid breathing vapours/spray.

P264 - Wash hands thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/eye protection/face protection.

Response P101 - If medical advice is needed, have product container or label at hand.

P312 - Call a POISON CENTRE or doctor/physician if you feel unwell.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention. P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P304+P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

P312 - Call a POISON CENTRE or doctor/physician if you feel unwell.

P391 - Collect spillage.

Storage P410 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

Disposal P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.

3. Composition / Information on Ingredients		
Component	CAS/ Identification	Conc (%)
Acetone	67-64-1	50-75%
4-Chlorobenzotrifluoride	98-56-6	22-40%
D-Limonene	5989-27-5	1-7%

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

4. First Aid

General Information

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid

facilities

Ready access to running water is required. Accessible eyewash is required.

Exposure

Swallowed IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician. Do NOT

induce vomiting.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin contact IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical

advice/ attention. Take off contaminated clothing and wash before re-use.

Inhaled IF INHALED: Remove to fresh air and keep at rest in a position comfortable for

breathing. Call a POISON CENTRE or doctor/physician if you feel unwell.

Advice to Doctor

Treat symptomatically



Product Name: Low-VOC untack

Firefighting Measures 5.

Fire and explosion hazards: This product is an aerosol that releases flammable vapours. This product has the

> potential to cause fire or to create an additional hazard during fire. Buildup of explosive mixtues possible. Container may rupture/explode in a fire. Remove undamaged cans if safe to do so. Leaking or burning cans should be extinguished only when absolutely necessary. Spontaneous or explosive reignition may occur. Extinguish fire in surrounding

Carbon dioxide, extinguishing powder, foam, fog sprays, water jets.

Suitable extinguishing

substances:

Unsuitable extinguishing

substances:

Products of combustion:

Protective equipment:

Hazchem code:

Unknown.

Carbon dioxide, and if combustion is incomplete, carbon monoxide, oxides of nitrogen

and smoke. Water. May form toxic mixtures in air and may accumulate in sumps, pits

and other low-lying spaces, forming potentially explosive mixtures.

Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat and eye protection.

Not applicable for Aerosol. Liquid has Hazchem code: 3YE.

Accidental Release Measures

Containment If greater than 1000L is stored, secondary containment and emergency plans to manage

any potential spills must be in place. In all cases design storage to prevent discharge to

storm water.

In the event of spillage alert the fire brigade to location and give brief description of **Emergency procedures**

hazard. Stop the source of the leak, if safe to do so. Shut off all possible sources of ignition. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Prevent by whatever means possible any spillage from entering drains, sewers, or water courses. (If

this occurs contact your regional council immediately).

Clean-up method Collect undamaged cans and recycle. Collect damaged cansand seal in properly labelled

containers or drums for disposal.

Collect recoverable material into labelled containers for recycling or salvage. This **Disposal**

material may be suitable for approved landfill. Dispose of only in accord with all

regulations.

Wear protective equipment to prevent skin and eye contamination and the inhalation of **Precautions**

vapours. Work up wind or increase ventilation. Be aware of fire risk - avoid sources of

ignition.

Storage & Handling

Keep out of reach of children. Protect from sunlight. Do not expose to temperatures Storage

exceeding 50°C. Store in a well ventilated, cool, dry place. Keep away from heat, sparks,

and flame. Store locked up. Keep out of reach of children.

Handling Keep exposure to a minimum, and minimise the quantities kept in work areas. See

section 8 with regard to personal protective equipment requirements. Avoid skin and eye

contact and inhalation of vapour, mist or aerosols.

8. **Exposure Controls / Personal Protective Equipment**

Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ Workplace Ingredient **WES-TWA WES-STEL**

Exposure Stds Acetone (bio) 500ppm, 1185mg/m³ 1000ppm, 2375 mg/m³

Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.



Product Name: Low-VOC untack

Personal Protective Equipment

General

Personal Protective Equipment (PPE) should not be used as the primary means of exposure protection, except in the event of an accident or emergency situation or where all other means of protection have proven to inadequate. Clean PPE after use or dispose of as appropriate. Store PPE for re-use in a clean place. Regular training on the correct use of PPE should be provided. In particular the correct fitting and use of respirators and where applicable the cleaning of respirators should be undertaken.

Eyes



Avoid contact with eyes. Use safety glasses and or chemical splash goggles if splashes are possible. Select eye protection in accordance with AS/NZS 1337.

Skin



Avoid any skin contact. Wear overalls, rubber boots and impervious gloves. Nitrile, teflon or PVA gloves are recommended. Protective gloves or suitably resistant material must comply with AS 2161. Replace frequently. Gloves should be checked for tears or holes before use. Protective clothing must comply with AS 2919, AS3765.1 or AS3765.2. PVC or rubber boots must comply with AS/NZS 2210.2 and selected and maintained in accordance with AS/NS2210.1. Remove protective clothing and wash exposed areas with soap and water prior to eating, drinking or smoking.

Respiratory



A respirator when airborne concentrations approach the WES (section 8). Respirators must have filters appropriate to the duty and comply with AS/NZS1716 and selected, used and maintained in accordance with AS/NS 1715. Use a respirator with an organic vapour cartridge. If using a respirator, ensure that the cartridges are correct for the potential air contamination and are in good working order. Fit testing and clear guidelines and training for use and maintenance of PPE are necessary.

WES Additional Information

Not applicable

9. **Physical & Chemical Properties**

Appearance thin, water-white liquid

Odour solvent odour **Odour Threshold** no data pН no data Freezing/melting point no data **Boiling Point** 56.1°C **Flashpoint** -20°C Flammability no data **Upper & lower flammable limits** no data Vapour pressure no data Vapour density no data

Specific gravity/density 0.899 g/mL Solubility insoluble in water Partition coefficient no data

Auto-ignition temperature no data **Decomposition temperature** no data Viscosity no data **Particle Characteristics** no data

10. Stability & Reactivity

Stability Stable

Conditions to be avoided Flammable substance. Keep away from sources of ignition at all times. Containers should

be kept closed in order to avoid contamination.

Incompatible groups Oxidisers, strong acids, bases.

Substance Specific none known

Incompatibility Oxides of carbon

Hazardous decomposition

products

Hazardous reactions none known



11. Toxicological Information

Summary

IF SWALLOWED: can result in nausea, vomiting and central nervous system depression. If the victim is uncoordinated there is greater likelihood of vomit entering the lungs and causing subsequent acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death.

IF IN EYES: may cause eye irritation.

Inhaled

IF ON SKIN: may cause skin irritation. Repeated or prolonged contact may cause drying out of the skin resulting in non-allergic dermatitis. Sensitised individuals may experience an allergic skin reaction.

INHALED: high concentrations of vapours may cause dizziness and drowsiness.

Supporting Data

Acute Oral Using LD50's for ingredients, the calculated LD50 (oral, rat) for the mixture is between

2000 and 5000 mg/kg. Data considered includes: acetone 3000 mg/kg (mouse), 4-

Chlorobenzotrifluoride 5546 mg/kg (rat), D-limonene 4400mg/kg (rat).

Aspiration This mixture is not considered an aspiration hazard.

Dermal Using LD₅₀'s for ingredients, the calculated LD₅₀ (dermal, rat) for the mixture is >5000

mg/kg. Data considered includes: 4-Chlorobenzotrifluoride >3300mg/kg (rabbit).

Using LC₅₀'s for ingredients, the calculated LC₅₀ (inhalation, rat) for the mixture is >5,000

ppm. Data considered includes: 4-Chlorobenzotrifluoride > 32.03 mg/l (rat).

Eye The mixture is considered to be an eye irritant, because some of the ingredients present

are considered eye irritants in more concentrated form.

Skin The mixture is considered to be a skin irritant, because some of the ingredients present

are considered skin irritants in more concentrated form.

Chronic Sensitisation The mixture is considered to be a contact sensitizer. D-Limonene is considered a skin

sensitiser.

MutagenicityNo ingredient present at concentrations > 0.1% is considered a mutagen.CarcinogenicityNo ingredient present at concentrations > 0.1% is considered a carcinogen.Reproductive /No ingredient present at concentrations > 0.1% is considered a reproductive or

Developmental developmental toxicant or have any effects on or via lactation.

Systemic No ingredient present at concentrations > 1% is considered a target organ toxicant.

Inhalation of vapours may cause dizziness and drowsiness.

Aggravation of existing conditions

None known.

12. Ecological Data

Summary

This mixture may be toxic towards aquatic organisms with long lasting effects and harmful towards soil organisms.

Supporting Data

Aquatic Using EC₅₀'s for ingredients, the calculated EC₅₀ for the mixture is between 1 mg/L and

10 mg/L. Data considered includes: 4-Chlorobenzotrifluoride LC₅₀: 3mg/L (96h, Danio rerio (zebra fish)), EC₅₀: 2mg/L (48h, Daphnia magna), NOEC: 0.41mg/L (72h, Pseudokirchneriella subcapitata (green algae)) D-limonene 0.702 mg/l (96hr, fish),

0.421mg/L (48 hr, Crustacean), 0.719 mg/L (72hr, Algal).

Bioaccumulation No data
Degradability No data

Soil This mixture may be harmful to the soil environment. D-Limonene is classed 9.2B by

EPA

Terrestrial vertebrateThis mixture is not classed as 9.3. See acute toxicity. **Terrestrial invertebrate**No evidence of toxicity towards terrestrial invertebrates.

Biocidal no data

13. Disposal Considerations

RestrictionsThere are no product-specific restrictions, however, local council and resource consent

conditions may apply, including requirements of trade waste consents.

Disposal method

Disposal of this product must comply with the Hazardous Substances (Disposal) Notice

2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore

Product Name: Low-VOC untack

rendered non-hazardous before discharge to the environment.



Contaminated packaging

Disposal of contaminated packaging must comply with the Hazardous Substances (Disposal) Notice 2017 clause 12. Ensure that the package is renedered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible reuse or recycle packaging.

14. **Transport Information**

Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007

Transport according to NZS 5433 (Transport of Hazardous Substances on Land). Considered a dangerous good for transport.

UN number: Proper shipping name: 3501

CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S. (Acetone,

Perchlorobenzotrifluoride)

Class(es) Packing group: 21 NA Precautions: Flammable aerosol Hazchem code: 2YE

IMDG

UN number: 3501 CHEMICAL UNDER PRESSURE, Proper shipping name:

FLAMMABLE, N.O.S. (Acetone, Perchlorobenzotrifluoride)

Class(es) 2.1 Packing group: NA

F-D, S-U Precautions: Flammable aerosol **EmS**

IATA

UN number: 3501 CHEMICAL UNDER PRESSURE, Proper shipping name:

FLAMMABLE, N.O.S. (Acetone, Perchlorobenzotrifluoride)

Product Name: Low-VOC untack

Class(es) 2.1 Packing group: NA

Precautions: Flammable aerosol

15. **Regulatory Information**

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002515, Aerosols (Flammable) Group Standard 2020 . All Ingredients appear on the NZIoC.

Specific Controls

Key workplace requirements are:

SDS To be available within 10 minutes in workplaces storing any quantity. Inventory An inventory of all hazardous substances must be prepared and maintained. Packaging All hazardous substances should be appropriately packaged including substances

that have been decanted, transferred or manufactured for own use or have been

supplied

Must comply with the Hazardous Substances (Labelling) Notice 2017. Labelling

Required if > 1000L is stored. Emergency plan

Certified handler Not required. Tracking Not required.

Bunding & secondary containment Required if > 1000L is stored. Signage Required if > 1000L is stored. Location compliance certificate Required if > 3000L is stored.

Flammable zone Must be established if > 3000L is stored.

Fire extinguisher If > 3000L present.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.



Product Name: Low-VOC untack

16. Other Information

Abbreviations

Approval Code Approval HSR002515, Aerosols (Flammable) Group Standard 2020 Controls, EPA.

www.epa.govt.nz

CAS Number Unique Chemical Abstracts Service Registry Number

EC50 Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test

population (e.g. daphnia, fish species)

EPA Environmental Protection Authority (New Zealand)

GHS Globally Harmonised System of Classification and Labelling of Chemicals, 7th revised

edition, 2017, published by the United Nations.

HAZCHEM Code Emergency action code of numbers and letters that provide information to emergency

services, especially fire fighters

HSNO Hazardous Substances and New Organisms (Act and Regulations)

International Agency for Research on Cancer

LEL Lower Explosive Limit

LD₅₀ Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).

LC₅₀ Lethal Concentration 50% − concentration in air which is fatal to 50% of a test population

(usually rats)

NZIoC New Zealand Inventory of Chemicals

STEL Short Term Exposure Limit - The maximum airborne concentration of a chemical or

biological agent to which a worker may be exposed in any 15 minute period, provided the

TWA is not exceeded

STOT RESystem Target Organ Toxicity – Repeated Exposure
STOT SE
System Target Organ Toxicity – Single Exposure

TWA Time Weighted Average – generally referred to WES averaged over typical work day

(usually 8 hours)

UELUpper Explosive LimitUN NumberUnited Nations Number

WES Workplace Exposure Standard - The airborne concentration of a biological or chemical

agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring

using procedures that gather air samples in the worker's breathing zone.

References

Data

Unless otherwise stated comes from the EPA HSNO chemical classification information

database (CCID).

Controls EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances)

Regulations 2017, www.legislation.govt.nz

WES The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available

on their web site - www.worksafe.govt.nz.

Other References: Suppliers SDS, EU ECHA, ingredients SDS's, ChemIDplus

Review

DateReason for reviewMarch 2019Not applicable – new SDSMarch 20235 yearly update, HSNO to GHS 7

May 2025 Review of classification

Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely GHS 7 classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 21 1040951.

