



Sandy Landau Grey



Sandy Pearl



Stonehenge



Sand Pebble



Baltic



Prairie Barn



Country Cottage

Dec-K-ing PVC Membrane					
Product Code	Description	Colour	Thickness	Width	Stocked In
SDA207	Dec-K-ing PVC	Landau Grey	1.5mm	1830mm	AK
SDA212	Dec-K-ing PVC	Sandy Pearl	1.5mm	1830mm	
SDA217	Dec-K-ing PVC	Stonehenge	1.5mm	1830mm	
SDA501	Dec-K-ing PVC	Sand Pebble	1.5mm	1830mm	
SDA503	Dec-K-ing PVC	Baltic	1.5mm	1830mm	
SDA504	Dec-K-ing PVC	Prairie Barn	1.5mm	1830mm	
SDA505	Dec-K-ing PVC	Country Cottage	1.5mm	1830mm	
1. Dec-K-ing PVC membrane is sold cut-to-length 2. Order material as batch lot for each job. Colour shading may vary slightly between batches					



SDF005



SDF660



SDM185

### Adhesive, Floor Patch and Cleaner

Product Code	Description	Size	Est. Coverage*	Stocked In
SDF005	Dec-K-ing PVC Adhesive	19L	1.5m <sup>2</sup> /L	AK, WN
SDF660	Dec-K-ing Floor Patch Pail	19L	-	AK
SDM185	Dec-K-ing Cleaner	950ml	-	

1. To be used with Dec-K-ing only
2. \*Coverage rates are indicative only. Coverage depends on surface texture and condition. Estimated coverage rate for Dec-K-ing adhesive includes full primer coat to substrate
3. SDM185 Dec-K-ing Cleaner is a concentrate special blend of proactive cleaning agents to help the deck owner achieve professional results while maintaining the material warranty



STP860



STP870

### Adhesive and Sealants

Product Code	Description	Size	Weight	M <sup>3</sup>	Stocked In
STP860	Universal Single-Ply Sealant	300ml	N/A	N/A	AK, WN, ChC
STP870	Water Cut Off Mastic	300ml	N/A	N/A	



VPS100C &amp; VPS100C1



VPS100A



VPS100B


**Attention:** Activator recommended for installations in cold conditions.  
Call 0800 729 799 for more information.

### Water-based Epoxy

Product Code	Description	Size	Est. Coverage*	Stocked In
VPS100A	Viking Primer Sealer Part A	10L	6 – 8m <sup>2</sup> per litre per coat of A+B mixture	AK, WN, ChC
VPS100B	Viking Primer Sealer Part B	10L		
VPS104A	Viking Primer Sealer Part A	4L		
VPS104B	Viking Primer Sealer Part B	4L		
VPS100C	Activator	1kg	100ml to 1 litre of mix	AK, ChC
VPS100C1	Quick set liquid	100ml	10-20ml to 1 litre of Part A	

- \*Coverage rates are indicative only. Coverage depends on surface texture and condition
- Can be used with all membranes except Torch-On
- Apply 2 coats for shower protection and to seal concrete
- Allow 2 hrs drying time above 10°C
- 72 hours curing before applying solvent adhesives

[back to contents](#)




SDM051

### Multi-Purpose Drain or Over-flow

	Dimensions	SDM065	SDM049	SDM051	Stocked In
A	Flange Diameter	170mm	230mm	280mm	AK, WN, ChC
B	Downpipe Diameter	65mm	80 / 100mm	150mm	
C	Drain Depth	80mm	120mm	120mm	
D	Grate Height	33mm	44mm	74mm	
E	Overflow Collar Height	30mm	38mm	69mm	

Can be used with all membrane types



SDM050


## Deck Drain with Grill

	Dimensions	SDM050b	SDM050	Stocked In
A	Flange Diameter	170mm	230mm	AK, WN, ChC
B	Downpipe Diameter	65mm	80 / 100mm	
C	Drain Depth	80mm	120mm	

Can be used with all membrane types



SDM055




### Multi-Purpose Drain or Over-flow Side Exit Pipe

	Dimensions	SDM055	Stocked In
A	Flange Diameter	230mm	AK, WN, ChC
B	Side Exit Pipe Diameter	80mm	
C	Drain Depth	100mm	
D	Grate Height	44mm	
E	Overflow Collar Height	38mm	

Can be used with all membrane types



SDM056



## Deck Drain with Side Exit Pipe

	Dimensions	SDM056	Stocked In
A	Flange Diameter	230mm	AK, WN, ChC
B	Side Exit Pipe Diameter	80mm	
C	Drain Depth	100mm	


Can be used with all membrane types




SDM066C2



SDM066



Inter-balcony Drains-Vented						
	Dimensions	SDM066C	SDM066	SDM066A	SDM066B	Stocked In
A	Flange Diameter	175mm	175mm	230mm	282mm	AK, WN, ChC
B	Outlet Diameter	65mm	80mm	100mm	150mm	
C	Drain Depth	75mm	83mm	117mm	118mm	
D	Junction Diameter	70mm	83mm	111mm	161mm	
Inter-balcony Drains-Non vented						
	Dimensions	SDM065C1	SDM066C2	SDM066D		Stocked In
A	Flange Diameter	175mm	175mm	230mm		AK, WN, ChC
B	Outlet Diameter	65mm	80mm	100mm		
C	Drain Depth	75mm	83mm	117mm		
D	Junction Diameter	70mm	83mm	111mm		



SDM063



SDM060

### Overflow Soffit Trims and Hats



Product code	Description	Stocked In
SDM062	Soffit Trim 65mm	AK, WN, ChC
SDM060	Soffit Trim 80mm	
SDM061	Soffit Trim 100mm	
SDM064	Overflow Hat 65mm	
SDM063	Overflow Hat 80/100mm	
SDM063B	Overflow Hat 150mm	



SDM052




SDM052a



### Scuppers

	Description	SDM052	SDM052a	Stocked In
A	Face Height	125mm	200mm	AK
B	Face Width	310mm	400mm	
C	Flange Width	110mm	120mm	
D	Outlet Length	450mm	460mm	
E	Aperture Height	65mm	80mm	
F	Aperture Width	100mm	200mm	
G	Drain Slope	1°	2°	
	Colour	Light Grey	grey	
SDM052 and SDM052a - only to be used with Dec-K-Ing				



Overflow			
	Dimensions	SDM052b	Stocked In
A	Face Height	190mm	AK
B	Face Width	410mm	
C	Outlet Length	385mm	
D	Aperture Height	80mm	
E	Aperture Width	200mm	
F	Flange dimension	55mm	
G	Drain Slope	2°	
	Colour	Grey	
SDM052 and SDM052a – only to be used with Dec-K-ing			



### Fastening Bar and Drip-edges

Product Code	Description	Colour	Width	Length	Stocked In
SDF109	Dec-k-ing Fasten / Drip	Grey	25mm	2.285m	AK, WN, ChC
SDF310A*	PVC Coated Alum / Drip	Grey	55mm x 50mm	3.0m	AK
SDF310B*	PVC Coated Alum / Drip	Tan	55mm x 50mm	3.0m	
SDF320A*	PVC Coated Aluminium Sheet	Grey	1.2m	3.0m	
SDF320B*	PVC Coated Aluminium Sheet	Tan	1.2m	3.0m	

\*Only to be used with Dec-K-ing



SDM084

### 90° External Corners

Product Code	Description	Colour	Stocked In
SDM068	Dec-K-ing 90° External Corner	Sandy Pearl	AK
SDM070	Dec-K-ing 90° External Corner	Stonehenge	
SDM072	Dec-K-ing 90° External Corner	Landau Grey	
SDM084	Dec-K-ing 90° External Corner	Sand Pebble	
SDM090	Dec-K-ing 90° External Corner	Baltic	
SDM093	Dec-K-ing 90° External Corner	Prairie Barn	
SDM096	Dec-K-ing 90° External Corner	Country Cottage	

[back to contents](#)



SDM089

90° Internal Corners			
Product Code	Description	Colour	Stocked In
SDM067	Dec-K-ing 90° Internal Corner	Sandy Pearl	AK
SDM069	Dec-K-ing 90° Internal Corner	Stonehenge	
SDM071	Dec-K-ing 90° Internal Corner	Landau Grey	
SDM083	Dec-K-ing 90° Internal Corner	Sand Pebble	
SDM089	Dec-K-ing 90° Internal Corner	Baltic	
SDM092	Dec-K-ing 90° Internal Corner	Prairie Barn	
SDM095	Dec-K-ing 90° Internal Corner	Country Cottage	



SDM091

### Door Transit Boots

Product Code	Description	Colour	Stocked In
SDM078	Dec-K-ing Door Transit Boots	Sandy Pearl	AK
SDM079	Dec-K-ing Door Transit Boots	Stonehenge	
SDM080	Dec-K-ing Door Transit Boots	Landau Grey	
SDM085	Dec-K-ing Door Transit Boots	Sand Pebble	
SDM091	Dec-K-ing Door Transit Boots	Baltic	
SDM094	Dec-K-ing Door Transit Boots	Prairie Barn	
SDM097	Dec-K-ing Door Transit Boots	Country Cottage	



SDM140



SDM163



SDM159a

### Welding Tools

Product Code	Description	Amp	Stocked In
SDM137	Leister Uniroof 'E' Welder	13 amp	AK
SDM159a	Leister Uniroof 300	15 amp*	
SDM163	Leister Unidrive 500	15 amp*	

1. \*Appropriate generators for 15 amp power must be used. Please don't swap out plugs to 10 amp  
 2. This will void the warranty of the machine



LEIST 1

### Welding Tool Kits

Product Code	Description	Stocked In
LEIST 1	Leister Hand Welder (7 amp) with: 40mm roller; brass roller; 40mm and 20mm nozzles; seam probe and carry case	AK
LEIST 2	Leister Hand Welder (7 amp with digital reading) with: 40mm roller; 40mm nozzle and carry case	
LEIST 3	Leister Hand Welder (7 amp with digital reading) with: 40mm roller; brass roller, 40mm and 20mm nozzles; seam probe and carry case	



SDM145



SDM146



SDM147



SDM148



SDM149




SDM151

### Welding Nozzles

Product Code	Description	Width and angle	Stocked In
SDM145	Nozzle	20mm Standard	AK
SDM146	Nozzle	20mm 120°	
SDM147	Nozzle	20mm 60°	
SDM148	Nozzle	40mm 60°	
SDM149	Nozzle	40mm Standard	
SDM151	Nozzle	20mm 90°	



SDM175



SDM176

### Roller and Sleeve

Product Code	Description	Stocked In
SDM175	Dec-K-ing Sleeve (230mm)	AK
SDM176	Dec-K-ing Roller Cage (230mm)	



SRG003C

Membrane Protection Mat			
Product Code	Description	Size	Stocked In
SRG003C	Membrane Protection Mat*	4.0m wide	AK
To be used with all Membranes (*Sold cut-to-length)			