



SRG001




SRG002

Drainage Board and Root Barrier for Enviroclad Roof Garden

Product Code	Description	Size	Stocked In
SRG001	Roof Garden Drainage Board (also incorporates moisture retention and protection course layers)	1.2m wide	AK
SRG002*	Roof Garden Root Barrier	3.6m wide	

1. NOTE: Electronic Leak Detection is mandatory for all Viking Roof Garden installations
2. *SRG002 is required for installation on Enviroclad only, as Torch-On General Garden FLL has anti-root properties



SEM630

General Garden FLL Anti-Root for Torch-On Roof Gardens

Product Code	Description	Colour	Thickness	Width	Length	Weight	M ³	Stocked In
SEM630	General Garden FLL Anti-Root Torch-On	Black	4mm	1.0m	10m	50kg	0.06	AK

1. NOTE: SEM630 General Garden FLL Anti-Root Torch-On is to be used as a double-layer system
2. Can be used with SEM330 Self-Adhered Base Sheet as first layer
3. NOTE: Electronic Leak Detection is mandatory for all Viking Roof Garden installations



SRG004A



SRG005



SMT076V

Edging and Drain Box

Product Code	Description	Size	Stocked In
SRG004A	Roof Garden Edging Alum	200mm H x 75mm W x 2400mm L	AK
SRG005	Roof Garden Alum Drain Box	Box = 100mm H x 300mm x 300mm Flange = 500mm x 500mm	
SMT076V	Lap Tape	76mm W x 30.4m L	AK, WN, ChC

1. To be used for Roof Garden or ballasted roofs only
 2. SRG004A and SRG005 to be secured with SMT076V to Enviroclad pre-primed with SEC034 primer
 Refer details



ILD001



ILDCONNECT

Tru Ground Electronic Leak Detection Conductive Primer

Product Code	Description	Size	Est Coverage*	Weight	M ³	Stocked In
ILD001	Leak Detection Conductive Primer	19L	Aprox 110m ²	22Kg	0.03	AK, ChC
ILDCONNECT	Device to connect substrate to leak detection reader					

Rates are indicative only. Coverage depends on the surface treatment condition