

Viking Rubber Membranes



SBR100V

Butylclad (Full Length)								
Product Code	Description	Colour	Thickness	Width	Length	Weight	M ³	Origin
SBR090V	Butylclad	Black	1.0mm	900mm	25m	29kg	0.03	NZ
SBR100V	Butylclad	Black	1.0mm	1350mm	25m	44kg	0.05	NZ
SBR500V	Butylclad	Black	1.5mm	1350mm	20m	58kg	0.05	NZ
SBR110V	Butylclad	Grey	1.0mm	1350mm	25m	44kg	0.05	NZ
SBR510V	Butylclad	Grey	1.5mm	1350mm	20m	58kg	0.05	NZ

Viking Rubber Membranes

Rubber Membranes (Short Length)								
Product Code	Description	Colour	Thickness	Width	Length	Weight	M ³	Origin
SBR095V	Butylclad Shorts	Black	1.0mm	1350mm	5m	10kg	0.01	NZ
SBR097V	Butylclad Shorts	Black	1.0mm	1350mm	10m	19kg	0.02	NZ
SBR098V	Butylclad Shorts	Black	1.0mm	1350mm	15m	27kg	0.03	NZ
SBR099V	Butylclad Shorts	Black	1.0mm	1350mm	20m	36kg	0.04	NZ
SBR105V	Butylclad Shorts	Grey	1.0mm	1350mm	5m	10kg	0.01	NZ
SBR107V	Butylclad Shorts	Grey	1.0mm	1350mm	10m	19kg	0.02	NZ
SBR108V	Butylclad Shorts	Grey	1.0mm	1350mm	15m	27kg	0.03	NZ
SBR109V	Butylclad Shorts	Grey	1.0mm	1350mm	20m	36kg	0.04	NZ
SBR495V	Butylclad Shorts	Black	1.5mm	1350mm	5m	14kg	0.02	NZ
SBR497V	Butylclad Shorts	Black	1.5mm	1350mm	10m	27kg	0.03	NZ
SBR498V	Butylclad Shorts	Black	1.5mm	1350mm	15m	41kg	0.04	NZ
SBR505V	Butylclad Shorts	Grey	1.5mm	1350mm	5m	14kg	0.02	NZ
SBR507V	Butylclad Shorts	Grey	1.5mm	1350mm	10m	27kg	0.03	NZ
SBR508V	Butylclad Shorts	Grey	1.5mm	1350mm	15m	41kg	0.04	NZ
The availability of short rolls fluctuates (Viking Roofspec's goal is to have none). Please check availability before submitting your tender. Viking Roofspec will not be held accountable if the short rolls you require at the time of purchase are out of stock								

Viking Rubber Membranes Accessories



SBA000



*SES225

BMA Adhesive and Solvent

Product Code	Description	Size	Coverage	Weight	M³	Origin
SBA000	Butylclad Adhesive	20L	2m² per litre	18kg	0.03	NZ
SES225	Viking Solvent*	20L	N/A	18kg	0.03	NZ
- *To be used with Rubber Membranes only - Substrate Primer coat 1:1 mix of SBA000 and SES225						

Viking Rubber Membranes



SEE203

Epiclad EPDM Membrane								
Product Code	Description	Colour	Thickness	Width	Length	Weight	M³	Origin
SEE203	Epiclad EPDM	Black	1.14mm	3.0m	15.2m	70kg	0.12	USA
SEE206	Epiclad EPDM	Black	1.14mm	6.0m	15.2m	140kg	0.18	USA
SEE503	Epiclad EPDM	Black	1.52mm	3.0m	15.2m	99kg	0.20	USA
SEE506	Epiclad EPDM	Black	1.52mm	6.0m	15.2m	196kg	0.24	USA

Viking Rubber Membranes Accessories



SEA200



*SES225

Adhesive and Solvent

Product Code	Description	Size	Est. Coverage**	Weight	M ³	Origin
SEA200	Epicald Adhesive	19L	2m ² per litre	18kg	0.03	USA
SES225	BMA Solvent*	20L	N/A	18kg	0.03	NZ

*To be used with Rubber Membranes only

**Rates are indicative only. Coverage depends on surface texture and condition

- Substrate Primer coat 1:1 mix of SEA200 and SES225

Viking Rubber Membranes Accessories



SES012A



SEC034



SEC036



MCD030

Sealant, Lap Seam Primer, Toluene and Punch n Pour tap

Product Code	Description	Size	Coverage	Origin
SES012A	Sealant Rubber Black	300ml	7 L/M at 6mm bead	USA
SEC034	Lap Seam Primer	950ml	25 L/M of lap per tin	USA
SEC036	Punch n Pour Tap	n/a	n/a	NZ
MCD030	Toluene Cleaning Agent	4 Litre	–	NZ

Viking Rubber Membranes Accessories



VPS100A



VPS100B

Water-based Epoxy

Product Code	Description	Size	Est. Coverage*	Origin
VPS100A	Viking Primer Sealer Part A	10L	6 – 8m ² per litre per coat of A+B mixture	NZ
VPS100B	Viking Primer Sealer Part B	10L		NZ
VPS104A	Viking Primer Sealer Part A	4L		NZ
VPS104B	Viking Primer Sealer Part B	4L		NZ

*Rates are indicative only. Coverage depends on surface texture and condition

- Can be used with all membranes except Torch-On
- Apply 2 coats for shower protection and to seal concrete
- Allow 2 hrs drying time above 10°C
- 72 hours curing before applying solvent adhesives

Cav-Grip III Adhesive



STP904



STP905



STP906



STP907



STP908

Cav-Grip III Adhesive

Product Code	Description	Size	Est. Coverage*	Origin
STP904	Cav Grip III	13.6kg	92m ²	USA
STP905	Cav Grip Hose	1.8m	NA	USA
STP905a	Cav Grip Hose	3.6m	NA	USA
STP905b	Cav Grip Hose	5.4m	NA	USA
STP906	Cav Grip Spray Gun (adjustable)	NA	NA	USA
STP907	Untack Cleaning System	5kg	NA	USA
STP908	Cav Grip Spray Gun (with extension)	NA	NA	USA
STP909	Cav Grip Gun Replacement Tips	NA	NA	USA

*Rates are indicative only. Coverage depends on surface texture and condition
Refer Viking Product Data Sheet Cav-Grip III for guidance

Cav Grip III Acceptable Membranes and Applications

Cav Grip III Acceptable Membranes and Applications		
Acceptable Membranes and Applications		
Membrane Type	Roof Deck / Field area	Upstands
Enviroclad TPO	✓	✓
Epiclad EPDM	✓	✓
FleeceBACK	✗	✓
Dec-K-ing PVC	✗	✗
NB: Cav Grip III can be used to bond Enviroclad or Epiclad to the surface of Polysio board, but it cannot be used to secure Polysio board to the substrate		

Viking Rubber Membranes Accessories



SMT076V



SET153


Self-adhesive Lap Tape and Flashing Tape

Product Code	Description	Colour	Width	Length	Origin
SMT076V	Lap Tape	N/A	76mm	30.4m	USA
SET153	Flashing Tape	Black	150mm	30.4m	USA

Viking Rubber Membranes Accessories



IMR100




Sump for 75mm and 100mm Pipes			
	Dimensions	IMR100	Origin
A	Overall Width	300mm	NZ
B	Overall Length	450mm	NZ
C	Depth	164mm	NZ
D	Overflow Ø	75 / 100mm	NZ
E	Main Outlet Ø	75 / 100mm	NZ
F	Outlet Position	150mm	NZ
G	Flange Width	30mm	NZ
To be used with rubber membranes only			

Viking Rubber Membranes Accessories



IMR120




Larger Sumps				
	Dimensions	IMR120	IMR130	Origin
A	Overall Width	300mm	380mm	NZ
B	Overall Length	450mm	580mm	NZ
C	Depth	200mm	275mm	NZ
D	Overflow Ø	100 / 150mm	150 / 200mm	NZ
E	Main Outlet Ø	100 / 150mm	150 / 200mm	NZ
F	Outlet Position	170mm	250mm	NZ
G	Flange Width	30mm	30mm	NZ
To be used with rubber membranes only				

Viking Rubber Membranes Accessories




IMR400





Shallow Sump			
	Dimensions	IMR400	Origin
A	Overall Width	292mm	NZ
B	Overall Length	475mm	NZ
C	Depth	70mm	NZ
D	Overflow Ø	100 / 150mm	NZ
E	Main Outlet Ø	100 / 150mm	NZ
F	Outlet Position	185mm	NZ
G	Flange Width	40mm	NZ
To be used with Rubber Membranes only			


Viking Rubber Membranes Accessories



IMT104



IMT106



Scuppers


	Dimensions	IMT104 (E2/AS1 Compliant)	IMT106	Origin
A	Face Height	110mm	110mm	NZ
B	Face Width	300mm	200mm	NZ
C	Bottom Face	110mm	95mm	NZ
D	Outlet Length	385mm	350mm	NZ
E	Aperture Height	75mm	70mm	NZ
F	Aperture Width	200mm	100mm	NZ
G	Drain slope	7°	1°	NZ
	Colour	Grey	Black	NZ

To be used with Rubber Membranes only

Viking Rubber Membranes Accessories




IMT105



Overflow			
	Dimensions	IMT105	Origin
A	Face Height	200mm	NZ
B	Face Width	320mm	NZ
C	Outlet Length	400mm	NZ
D	Aperture Height	75mm	NZ
E	Aperture Width	200mm	NZ
F	Flange Dimension	55mm	NZ
G	Drain slope	7°	NZ
	Colour	Grey	NZ
To be used with Rubber Membranes only			

Viking Rubber Membranes Accessories




SDM051

Dual-Purpose Drain or Over-flow

	Dimensions	SDM065	SDM049	SDM051	Origin
A	Flange Diameter	170mm	230mm	280mm	NZ
B	Downpipe Diameter	65mm	80 / 100mm	150mm	NZ
C	Drain Depth	80mm	120mm	120mm	NZ
D	Grate Height	33mm	44mm	74mm	NZ
E	Overflow Collar Height	30mm	38mm	69mm	NZ

Can be used with all membrane types

Viking Rubber Membranes Accessories




SDM050

Deck Drain with Grill				
	Dimensions	SDM050b	SDM050	Origin
A	Flange Diameter	170mm	230mm	NZ
B	Downpipe Diameter	65mm	80 / 100mm	NZ
C	Drain Depth	80mm	120mm	NZ
Can be used with all membrane types				

Viking Rubber Membranes Accessories



SDM055




Dual-Purpose Drain or Over-flow Side Exit Pipe			
	Dimensions	SDM055	Origin
A	Flange Diameter	230mm	NZ
B	Side Exit Pipe Diameter	80mm	NZ
C	Drain Depth	100mm	NZ
D	Grate Height	44mm	NZ
E	Overflow Collar Height	38mm	NZ
Can be used with all membrane types			

Viking Rubber Membranes Accessories



SDM056




Deck Drain with Side Exit Pipe

	Dimensions	SDM056	Origin
A	Flange Diameter	230mm	NZ
B	Side Exit Pipe Diameter	80mm	NZ
C	Drain Depth	100mm	NZ
Can be used with all membrane types			

Viking Rubber Membranes Accessories




SDM066



Inter-Balcony Drains - Vented

	Dimensions	SDM066C	SDM066	SDM066A	SDM066B
A	Flange diameter	175mm	175mm	230mm	282mm
B	Outlet Diameter	65mm	80mm	100mm	150mm
C	Drain Depth	75mm	83mm	117mm	118mm
D	Junction Diameter	70mm	83mm	111mm	161mm

Viking Rubber Membranes Accessories



SDM063



SDM060

Overflow Soffit Trims and Hats

Product code	Description	Origin
SDM062	Soffit trim 65mm	NZ
SDM060	Soffit Trim 80mm	NZ
SDM061	Soffit Trim 100mm	NZ
SDM064	Overflow Hat 65mm	NZ
SDM063	Overflow Hat 80/100mm	NZ
SDM063b	Overflow Hat 150mm	NZ

Viking Rubber Membranes Accessories



ACM250

Acoustic Mounting Block					
Product Code	Description	A	B	C	Origin
ACM250	Acoustic Mounting Block	250mm	130mm	50mm	NZ
ACM400	Acoustic Mounting Block	400mm	130mm	50mm	NZ
Can be used with all membrane types					

Viking Rubber Membranes Accessories



IMT302




IMT304

Leaf / Gravel Grates				
Product Code	Description	Colour	Pipe Size	Origin
IMT302	Leaf Grate	Black	60 – 200mm	Italy
IMT304	Leaf Grate	Black	75 – 125mm	Italy
Can be used with all membrane types				

Viking Rubber Membranes Accessories



IMV113




Roof Vents				
	Dimensions	IMV111	IMV113	Origin
A	Flange Diameter	200mm	200mm	NZ
B	Vent Diameter	100mm	100mm	NZ
C	Vent Height	215mm	120mm	NZ
D	Cap Diameter	250mm	250mm	NZ
	Cap Colour	Grey*	Grey*	NZ
- Can be used with all membrane types except Dec-K-ing - * If white or black domes are required, please inform Customer Services				

Viking Rubber Membranes Accessories




STP607



Roof Vent			
	Dimensions	STP607	Origin
A	Flange Width	280mm	Italy
B	Vent Height	310mm	Italy
C	Cap Diameter	104mm	Italy
D	Vent Diameter	75mm	Italy
	Colour (with black cap)	Grey	Italy
To be used only with Enviroclad and Rubber membranes			

Viking Rubber Membranes Accessories




Kick-out Flashings				
Product Code	Description	Colour	Dimensions	Origin
IMT601	Kick-out Flashing (Right)	Black	180mm x 170mm x 90mm	NZ
IMT602	Kick-out Flashing (Left)	Black	180mm x 170mm x 90mm	NZ
Used with Rubber Membranes only				

Viking Rubber Membranes Accessories





SEM020




Pipe Seal			
	Dimensions	SEM020	Origin
A	Biggest Penetration	150mm	USA
B	Smallest Penetration	25mm	USA
C	Minimum Height	50mm	USA
D	Maximum Height	170mm	USA
E	Flange Diameter	334mm	USA
	Colour	Black	USA
Used with Rubber Membranes only			

Viking Rubber Membranes Accessories



IMT710



IMT711

Edge Fasteners and Pressure Bars

Product Code	Description	Finish	Dimensions	
			A	B
IMT708	Termination Flashing Cover Plate	Aluminium	2400mm	140mm
IMT709	Pressure Bar	Aluminium	2400mm	65mm
IMT710	External Corner	Aluminium	N/A	N/A
IMT711	Internal Corner	Aluminium	N/A	N/A
SDF110	Dual Purpose Edge Fastener	Grey(alum)	2400mm	25mm

Viking Rubber Membranes Accessories



SRG003C

Membrane Protection Mat			
Product Code	Description	Size	Origin
SRG003C	Membrane Protection Mat*	4.0m wide	USA
To be used with all membranes (* Sold cut-to-length)			

Viking Rubber Membranes

NB: Aside from the specialised adhesives required for adhering Epiclad F.B.S. membrane (shown on the next couple of pages), all of the accessories used with Epiclad EPDM membrane displayed on the previous pages, apply to Epiclad F.B.S. membranes as well



SEH203

Epiclad F.B.S. Membrane								
Product Code	Description	Colour	Thickness (incl. Fleece)	Width	Length	Weight	M³	Origin
SEH203	Epiclad F.B.S.	Black	2.52mm	3.0m	15.2m	80kg	0.20	USA

Viking Rubber Membranes Accessories



STP900B



STP912

Pneumatic Caulking Gun, Accessories and F.A.S.T. Adhesive

Product Code	Description	Origin
STP900B	Flexible F.A.S.T Adhesive Dual Cartridge (1.5litre/set (750ml A+B) (Average 7 – 10m ² / set)	USA
STP911	Dual Cartridge Manual Caulking Gun (Long)	USA
STP912	Dual Cartridge Manual Caulking Gun (Short)	USA
To be used with Enviroclad F.B.S., Epiclad F.B.S. and Polyiso insulation panels		