

Viking Architectural Finishing  
Series IMT700 Cover -  
Flashing, Alum 1.6mm

Viking Enviroclad TPO  
waterproofing membrane  
1.52 mm

SMT076V Lap Tape

SET153 Gasket


Viking Cover Board

Viking PIR Polyiso Insulation

Viking Vapour Barrier

Substrate as specified

Viking Architectural Finishing  
Series IMT701 Base -  
Flashing, Alum 1.6mm



NOTE: Viking AFS Barge Flashings are angled to suit 5° slope to the top of Parapet or Barge. This drawing shows the AFS Barge Flashings fitted to a non-sloping Parapet/Barge. This will cause the top of the flashing to sit out at the top.

NOTE:  
Ref drawing WS2\_031

NOTE:  
Substrate to comply with current Viking Roofspec Masterspec specification  
Substrate Checksheet available from [www.vikingroofspec.co.nz](http://www.vikingroofspec.co.nz)



DRAWING TITLE
Viking WS2 - Enviroclad Verge_Barge with Low Profile AFS in ISOMETRIC

NOTES:
<ul style="list-style-type: none"> <li>* Angle fillets are not required at upstands for Enviroclad</li> <li>* All fixings, cladding and structure are indicative only unless noted</li> <li>* All details to be read in conjunction with Viking Specifications</li> </ul>

Substrate and structure are indicative only

DRAWING STATUS			
INFORMATION ONLY			
Scale: Not to Scale	Date: 01/10/2022	Drawn:	Viking
Detail Ref: <b>VIK_WS2_ENV_031A_VERGBARG</b>			