



Identification of Substance & Company

Product

Product name Silcoat Bleed Trap Other names GacoFlex A4207 Bleedtrap

Product code VSC600 **HSNO** approval non hazardous. Approval description non hazardous

UN number NA **DG** class NA **Proper Shipping Name** NA **Packaging group** NA Hazchem code NA

Uses Architectural Coating and Waterproofing

Company Details

Company Viking Roofspec

Physical Address 80 Alexander Crescent PO Box 14 451 Otara Panmure Auckland 1741

Auckland New Zealand New Zealand

Telephone 0800 729 799 Fax 0800 729 788

Website www.vikingroofspec.co.nz

Emergency Telephone Number: 0800 764 766

2. **Hazard Identification**

This product is not classified as a hazardous according to the criteria of the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017

Classes Hazard Statements

none

SYMBOLS

none

Other Classifications

There are no other classifications that are known to apply.

Precautionary Statements

none

3. **Composition / Information on Ingredients**

Component	CAS/ Identification	Conc (%)
limestone	1317-65-3	15-40%
titanium dioxide	13463-67-7	0.5-1.5%
ingredients not contributing to HSNO classes	mixture	balance

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

First Aid

General Information

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service). Recommended first aid Ready access to running water is recommended.

facilities

Page 1 of 6 July 2018

Product Name: Silcoat Bleed Trap



Exposure

Swallowed The product is not considered harmful if swallowed. In case of persistent symptoms,

contact the National Poisons Centre or a Doctor.

Eye contact If product gets in eyes, wash material from them with running water for several minutes.

If symptoms persist, seek medical advice.

Skin contact Flush with large amounts of water. Remove all contaminated clothing. Contact a doctor

if experiencing symptoms.

Inhaled Generally, inhalation of vapours is unlikely to result in adverse health effects. If

> coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for

transport and contact a doctor.

Advice to Doctor

Treat symptomatically

Firefighting Measures

Fire and explosion hazards:

Suitable extinguishing

substances:

Unsuitable extinguishing

substances:

Products of combustion:

Protective equipment:

Hazchem code:

There are no specific risks for fire/explosion for this chemical. It is non-flammable. Carbon dioxide, extinguishing powder or water jet. Fight larger fires with water jet or

alcohol resistant foam.

Unknown.

Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water.

May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying

spaces, forming potentially explosive mixtures.

No special measures are required. NA

> 6. **Accidental Release Measures**

In all cases design storage to prevent discharge to storm water. Containment

Emergency procedures In the event of spillage alert the fire brigade to location and give brief description of

hazard. Stop the source of the leak, if safe to do so. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Prevent by whatever means possible any spillage from entering drains, sewers, or water courses. (If this occurs contact your

regional council immediately).

Clean-up method Use absorbent (soil, sand or other inert material). Rags are not recommended for the

clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or

waterways has occurred advise local emergency services.

Disposal Mop up and collect recoverable material into labelled containers for recycling or salvage.

Recycle containers wherever possible. This material may be suitable for approved

landfill. Dispose of only in accord with all regulations.

Precautions No special protective clothing is normally necessary.

Storage & Handling

Storage Avoid storage of harmful substances with food. Store out of reach of children.

> Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in

> > Product Name: Silcoat Bleed Trap

Section 10.

Handling Keep exposure to a minimum, and minimise the quantities kept in work areas. See

section 8 with regard to personal protective equipment requirements.



Product Name: Silcoat Bleed Trap

Exposure Controls / Personal Protective Equipment

Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ Workplace Ingredient **WES-TWA* WES-STEL Exposure Stds** Limestone (calcium carbonate) 10mg/m^3 Not listed Titanium dioxide 10mg/m³ Not listed

Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

Personal Protective Equipment

Protective eyewear is not normally necessary when using this product. However, it Eyes

always prudent to use protective eyewear if splashes are likely.

Protective gloves and clothing are not normally necessary. However, it is prudent to Skin

wear gloves when handling chemicals in bulk or for an extended period of time. Respirator is not required under normal use. Ensure adequate natural ventilation. If

product is being used in confined conditions, the use of a mask or respirator may be

preferred.

WES Additional Information

Not applicable

Respiratory

Physical & Chemical Properties

Appearance grey liquid

Odour light ammonium odour

Ha 8.5 Vapour pressure no data **Viscosity** 100ku **Boiling point** no data Volatile materials 50g/L Freezing / melting point no data

Solubility not soluble in water

Specific gravity / density 1.35g/cm³ >93°C Flash point Danger of explosion no data **Auto-ignition temperature** no data **Upper & lower flammable limits** no data Corrosiveness non corrosive

Stability & Reactivity 10.

Stability Stable

Conditions to be avoided Containers should be kept closed in order to avoid contamination. Keep from extreme

> heat and open flames. Strong oxidising materials, acids.

Incompatible groups **Substance Specific**

none known

Hazardous decomposition

none known

products

Incompatibility

Hazardous reactions none known

^{*} These workplace exposure standards are also Prescribed Exposure Standards (PES) under the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016.



Taking care of detail

Silcoat Bleed Trap **Safety Data Sheet**

Toxicological Information

Summarv

IF IN EYES: direct contact may cause mild transient eye irritation.

IF ON SKIN: Prolonged skin contact may cause dryness, redness, or cracking.

Supporting Data

Acute Oral No evidence of acute oral toxicity. **Dermal** No evidence of acute dermal toxicity.

> Inhaled No evidence of acute inhalation toxicity. Fumes/vapours may be irritating to throat. Eye The mixture is not considered to be an eye irritant, any irritation is cause by mechanicak

> > irriation of the dust.

Skin The mixture is not considered to be a skin irritant.

Chronic Sensitisation No ingredient present at concentrations > 0.1% is considered a sensitizer.

Mutagenicity No ingredient present at concentrations > 0.1% is considered a mutagen. Carcinogenicity

This mixture does contain titanium dioxide, however it is not in an inhalable form. The mixture is a liquid and does not trigger this classification, however if sanding the cured mixture, respirable dust may result. Titanium dioxide as ultrafine to fine particle sizes: 50 nm to 1.5 µm has been found to be a suspected carcinogen in animal studies (IARC 2B).

Reproductive / No ingredient present at concentrations > 0.1% is considered a reproductive or

Developmental developmental toxicant or have any effects on or via lactation.

Systemic No ingredient present at concentrations > 1% is considered a target organ toxicant.

Aggravation of None known.

existing conditions

12. **Ecological Data**

This mixture is not expected to be ecotoxic in the environment.

Supporting Data

Aquatic No data for mixture is available. Using EC50's for ingredients, the estimated EC50 for the

mixture is > 100 mg/L.

Bioaccumulation Not applicable. Degradability Not applicable.

Soil No data available for the mixture.

Terrestrial vertebrate This product is not considered harmful to terrestrial vertebrates. No LC₅₀ (diet) data for

ingredients are available and the classification is based on the LD₅₀ (oral) – see section

11 – oral toxicity.

Terrestrial invertebrate

The mixture is not considered harmful to terrestrial invertebrates. Not applicable

Biocidal

Disposal Considerations

Restrictions Local council and resource consent conditions may apply, including requirements of trade

waste consents.

Disposal method Disposal of this product must comply with the Hazardous Substances (Disposal) Notice

2017 and the requirements of the Resource Management Act for which approval should

be sought from the Regional Authority.

Contaminated packaging Disposal of contaminated packaging must comply with the Hazardous Substances

(Disposal) Notice 2017 clause 12. Ensure that the package is renedered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible

reuse or recycle packaging.

Transport Information

Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007 There are no specific restrictions for this product (not a dangerous good).

NA **UN number:** Proper shipping name: NA Class(es) NA Packing group: NA **Precautions:** NA Hazchem code: NA

Page 4 of 6 July 2018

Product Name: Silcoat Bleed Trap



15. **Regulatory Information**

This product is not classified as a hazardous according to the criteria of the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017.

All ingredients are listed on the NZIoC.

Specific Controls

Key workplace requirements are:

SDS Not required.

Inventory An inventory of all hazardous substances must be prepared and maintained. All hazardous substances should be appropriately packaged including substances Packaging

that have been decanted, transferred or manufactured for own use or have been

Labelling Must comply with the Hazardous Substances (Labelling) Notice 2017.

Emergency plan Not required. Approved handler Not required. Tracking Not required. Bunding & secondary containment Not required. Signage Not required. Location test certificate Not required. Flammable zone Not required. Fire extinguisher Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

16. Other Information

Abbreviations

Approval Code Approval non hazardous, non haz Controls, EPA. www.epa.govt.nz

CAS Number Unique Chemical Abstracts Service Registry Number

Ceiling Ceiling Exposure Value: The maximum airborne concentration of a biological or chemical

agent to which a worker may be exposed at any time.

Controls Matrix List of default controls linking regulation numbers to Matrix code (e.g. T1, I16). EC₅₀

Ecotoxic Concentration 50% - concentration in water which is fatal to 50% of a test

population (e.g. daphnia, fish species)

Environmental Protection Authority (New Zealand) FΡΔ

HAZCHEM Code Emergency action code of numbers and letters that provide information to emergency

services, especially fire fighters

Hazardous Substances and New Organisms (Act and Regulations) **HSNO**

IARC International Agency for Research on Cancer LEL/UEL Lower Explosive Limit/ Upper Explosive Limit

 LD_{50} Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).

Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population LC₅₀

(usually rats)

MSDS (SDS) Material Safety Data Sheet (or Safety Data Sheet)

NZIoC New Zealand Inventory of Chemicals

PES Prescribed Exposure Standard means a WES or a biological exposure standard that is

prescribed in a regulation, a safe work instrument or an approval under HSNO (including

group standards).

STEL Short Term Exposure Limit - The maximum airborne concentration of a chemical or

biological agent to which a worker may be exposed in any 15 minute period, provided the

TWA is not exceeded

TWA Time Weighted Average – generally referred to WES averaged over typical work day

(usually 8 hours)

UN Number United Nations Number

WES Workplace Exposure Standard - The airborne concentration of a biological or chemical

agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring

using procedures that gather air samples in the worker's breathing zone.

Page 5 of 6 July 2018

Product Name: Silcoat Bleed Trap



Product Name: Silcoat Bleed Trap

References

Unless otherwise stated comes from the EPA HSNO chemical classification information

database (CCID).

Controls EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances)

Regulations 2017, www.legislation.govt.nz

WES The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available

on their web site – www.worksafe.govt.nz.

Other References: Suppliers SDS, EU ECHA, ChemIDplus

Review

DateReason for reviewJuly 2018Not applicable – new SDS

Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely HSNO classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). Full formulation details were not available. This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 9 940 30 80.

