

Viking Surface sealer Part B Safety Data Sheet

Identification of Substance & Company

Product

Product name Other names Product code HSNO approval Approval description

UN number DG class Proper Shipping Name

Packaging group Hazchem code Uses

Company Details

Company Physical Address

Telephone Fax Website Viking Surface sealer Part B Viking Primer Sealer Part A VPS100B HSR002670 Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2020 3082 9 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID (contains bisphenol A) III 3Z part B - epoxy sealer

Viking Roofspec 80 Alexander Crescent Otara Auckland New Zealand 0800 729 799 0800 729 788 www.vikingroofspec.co.nz

PO Box 14 451 Panmure Auckland 1741 New Zealand

Emergency Telephone Number: 0800 764 766

Hazard Identification

NZ Approval

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002670, Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2020). The substance has been classified as hazardous according to the criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

GHS 7 Classes

Hazard Statements

2.

- Eye irritant category 2 Skin sensitiser category 1 STOT* repeated exposure category 2 Chronic aquatic category 2
- H319 Causes serious eye irritation. H317 - May cause an allergic skin reaction.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.

*STOT – System target organ toxicity



Other Classifications

There are no other classifications that are known to apply.



Precautionary	Statements
---------------	------------

Prevention	 P102 - Keep out of reach of children. P103 - Read label before use. P260 - Do not breathe vapours. P264 - Wash hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Response	 P308+P313 - IF exposed or concerned: Get medical advice/ attention. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P363 - Wash contaminated clothing before reuse. P391 - Collect spillage.
Storage Disposal	P405 - Store locked up. P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.

3.	Composition / Information on Ingredients

Component	CAS/ Identification	Conc (%)
Bisphenol A resin	25036-25-3	10-30%
calcium carbonate	471-34-1	<10%
ingredients not contributing to HSNO classes, including water	mixture	balance

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

4.

First Aid

General Information

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service)

Ready access to running water is required. Accessible eyewash is required.
Do NOT induce vomiting. Give a glass of water to drink. Contact a doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Generally, inhalation of vapours is unlikely to result in adverse health effects. If coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for transport and contact a doctor.

Advice to Doctor

Treat symptomatically



Viking Surface sealer Part B Safety Data Sheet

	5. Firefighting Measures
Fire and explosion hazards: Suitable extinguishing substances:	There are no specific risks for fire/explosion for this chemical. It is non-flammable. Carbon dioxide, extinguishing powder, foam.
Unsuitable extinguishing substances:	Unknown.
Products of combustion:	Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures.
Protective equipment: Hazchem code:	No special measures are required. 3Z
	6. Accidental Release Measures
Containment	If greater than 1000L is stored, secondary containment and emergency plans to manage any potential spills must be in place. In all cases design storage to prevent discharge to storm water.
Emergency procedures	In the event of spillage alert the fire brigade to location and give brief description of hazard.
	Stop the source of the leak, if safe to do so. Shut off all possible sources of ignition. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Do not use sawdust. Prevent by whatever means possible any spillage from entering drains, sewers, or water courses. (If this occurs contact your regional council immediately).
Clean-up method	Use absorbent (soil, sand or other inert material). Rags are not recommended for the clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.
Disposal	Mop up and collect recoverable material into labelled containers for recycling or salvage. Recycle containers wherever possible. This material may be suitable for approved landfill. Dispose of only in accord with all regulations.
Precautions	Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation.
	7. Storage & Handling
Storage	Avoid storage of harmful substances with food. Store out of reach of children. Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in Section 10.
Handling	Keep exposure to a minimum, and minimise the quantities kept in work areas. See section 8 with regard to personal protective equipment requirements. Avoid skin and eye contact and inhalation of vapour, mist or aerosols.
8.	Exposure Controls / Personal Protective Equipment

Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ Workplace	Ingredient	WES-TWA	WES-STEL
Exposure Stds	calcium carbonate	10mg/m ³	data unavailable


Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.



Viking Surface sealer Part B Safety Data Sheet

Personal Protective Equipment



Personal Protective Equipment (PPE) should not be used as the primary means of exposure protection, except in the event of an accident or emergency situation or where all other means of protection have proven to inadequate. Clean PPE after use or dispose of as appropriate. Store PPE for re-use in a clean place. Regular training on the correct use of PPE should be provided. In particular the correct fitting and use of respirators and where applicable the cleaning of respirators should be undertaken. Avoid contact with eyes. Use safety glasses and or chemical splash goggles if splashes

Avoid repeated or prolonged skin contact. Wear overalls, rubber boots and impervious gloves. Nitrile gloves are recommended. Protective gloves or suitably resistant material must comply with AS 2161. Replace frequently. Gloves should be checked for tears or holes before use. Protective clothing must comply with AS 2919, AS3765.1 or AS3765.2. PVC or rubber boots must comply with AS/NZS 2210.2 and selected and maintained in accordance with AS/NS2210.1. Remove protective clothing and wash exposed areas with soap and water prior to eating, drinking or smoking. Wash hands after handling. A respirator when airborne concentrations approach the WES (section 8). Respirators must have filters appropriate to the duty and comply with AS/NZS1716 and selected, used and maintained in accordance with AS/NS 1715. Use a respirator with an organic vapour cartridge. . If using a respirator, ensure that the cartridges are correct for the potential air contamination and are in good working order. Fit testing and clear guidelines and training for use and maintenance of PPE are necessary.

WES Additional Information

Not applicable

	9.	Physical	& Chemical	Properties
Appearance	white liquid			
Odour	no odour			
Odour Threshold	no data			
pH	8.0-8.5			
Freezing/melting point	no data			
Boiling Point	100°C			
Flashpoint	no data			
Flammability	no data			
Upper & lower flammable limits	no data			
Vapour pressure	no data			
Vapour density	no data			
Specific gravity/density	1.25g/cm ³			
Solubility	soluble in w	ater		
Partition coefficient	no data			
Auto-ignition temperature	no data			
Decomposition temperature	no data			
Viscosity	no data			
Particle Characteristics	no data			
	10). Stal	oility & Read	ctivity
Stability	Stable			
Conditions to be avoided		should be k	ept closed in	order to avoid contamination. Keep from extreme
	heat and op			
Incompatible groups			acids and ba	ases, aluminium.
Substance Specific	none knowr			
Incompatibility				
Hazardous decomposition	Oxides of c	arbon and r	nitrogen, smok	æ.
products			0 /	
Hazardous reactions	none knowr	ı		



Viking Surface sealer Part B

Safety Data Sheet

11. Toxicological Information

Summary

IF SWALLOWED: may cause irritation to the mouth, throat and gastrointestinal system.

IF IN EYES: may cause serious eye irritation.

- IF ON SKIN: causes skin irritation, may cause an allergic skin reaction.
- IF INHALED: may cause respiratory irritation.

Supporting Data

Acute	Oral Aspiration Dermal	Using LD ₅₀ 's for ingredients, the calculated LD ₅₀ (oral, rat) for the mixture is >5,000 mg/kg. Data considered includes: Bisphenol A diglycidyl ether - bisphenol A copolymer 15600mg/kg (mouse), 10.7mL/kg (rat), calcium carbonate 6450mg/kg (rat). This mixture is not considered an aspiration hazard. Using LD ₅₀ 's for ingredients, the calculated LD ₅₀ (dermal, rat) for the mixture is >5000 mg/kg. Data considered includes: Bisphenol A diglycidyl ether - bisphenol A copolymer
		>20mL/kg (rabbit).
	Inhaled	No evidence of acute inhalation toxicity.
	Eye	The mixture is considered to be an eye irritant, because some of the ingredients present are considered eye irritants in more concentrated form.
	Skin	The mixture is considered to be a skin irritant, because some of the ingredients present are considered skin irritants in more concentrated form.
Chronic	Sensitisation	The mixture is considered to be a contact sensitizer, because at least one of the ingredients present in greater than 0.1% is known to be a contact sensitizer.
	Mutagenicity	No ingredient present at concentrations > 0.1% is considered a mutagen.
	Carcinogenicity	No ingredient present at concentrations $> 0.1\%$ is considered a carcinogen.
	Reproductive /	No ingredient present at concentrations $> 0.1\%$ is considered a reproductive or
	Developmental	developmental toxicant or have any effects on or via lactation.
	Systemic	The mixture is considered to be a suspected target organ toxicant, because bisphenol A
	oystellite	resin present in greater than 1% is suspected to be a target organ toxicant (EPA).
	Aggravation of existing conditions	None known.

Ecological Data

Summary

This mixture is considered toxic towards aquatic organisms with long lasting effects.

12.

Supporting Data

Aquatic Bioaccumulation Degradability Soil Terrestrial vertebrate Terrestrial invertebrate Biocidal Environmental effect levels	Using EC ₅₀ 's for ingredients, the estimated EC ₅₀ for the mixture is between 1 mg/L and 10 mg/L. Data considered includes: Bisphenol A ether resin 1.2 mg/L (96h, Oncorhynchus mykiss), 2.7 mg/L (48h, Daphnia magna). No data for the mixture. No data for the mixture. No evidence of soil toxicity. No evidence of toxicity towards terrestrial vertebrates. No evidence of toxicity towards terrestrial invertebrates. No exidence of toxicity towards terrestrial invertebrates. No exidence of toxicity towards terrestrial invertebrates.
	13. Disposal Considerations
Restrictions	There are no product-specific restrictions, however, local council and resource consent conditions may apply, including requirements of trade waste consents.
Disposal method Contaminated packaging	Disposal of this product must comply with the Hazardous Substances (Disposal) Notice 2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore rendered non-hazardous before discharge to the environment. Disposal of contaminated packaging must comply with the Hazardous Substances (Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible reuse or recycle packaging.



14. Transport Information

•	Dangerous Goods 2005 NZS 5433 (Transport of H 3082		nsidered a dangerous good for transport. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID (contains bisphenol A)
Class(es) Precautions: IMDG	9 Marine Pollutant	Packing group: Hazchem code:	III 3Z
UN number:	3082	Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID (contains bisphenol A)
Class(es) Precautions:	9 Marine Pollutant	Packing group: EmS	III F-A, S-F
ΙΑΤΑ			
UN number:	3082	Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID (contains bisphenol A)
Class(es) Precautions:	9 Marine Pollutant	Packing group:	III

Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002670, Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2020. All Ingredients appear on the NZIoC.

15.

Specific Controls

Key workplace requirements are:	
SDS	To be available within 10 minutes in workplaces storing any quantity.
Inventory	An inventory of all hazardous substances must be prepared and maintained.
Packaging	All hazardous substances should be appropriately packaged including substances that h manufactured for own use or have been supplied
Labelling	Must comply with the Hazardous Substances (Labelling) Notice 2017.
Emergency plan	Required if > 1000L is stored.
Certified handler	Not required.
Tracking	Not required.
Bunding & secondary containment	Required if > 1000L is stored.
Signage	Required if > 1000L is stored.
Location compliance certificate	Not required.
Flammable zone	Not required.
Fire extinguisher	Not required.
Note: The above workplace requirements apr	bly if only this particular substance is present. The complete set of controls for a

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.



16. Other Information

Abbreviations	
---------------	--

Approval Code	Approval HSR002670, Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2020 Controls, EPA. www.epa.govt.nz
CAS Number	Unique Chemical Abstracts Service Registry Number
EC ₅₀	Ecotoxic Concentration 50% - concentration in water which is fatal to 50% of a test
	population (e.g. daphnia, fish species)
EPA	Environmental Protection Authority (New Zealand)
GHS	Globally Harmonised System of Classification and Labelling of Chemicals, 7th revised
	edition, 2017, published by the United Nations.
HAZCHEM Code	Emergency action code of numbers and letters that provide information to emergency
	services, especially fire fighters
HSNO	Hazardous Substances and New Organisms (Act and Regulations)
IARC	International Agency for Research on Cancer
LEL	Lower Explosive Limit
LD ₅₀	Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).
LC ₅₀	Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population
	(usually rats)
NZIoC	New Zealand Inventory of Chemicals
STEL	Short Term Exposure Limit - The maximum airborne concentration of a chemical or
	biological agent to which a worker may be exposed in any 15 minute period, provided the
	TWA is not exceeded
STOT RE	System Target Organ Toxicity – Repeated Exposure
STOT SE	System Target Organ Toxicity – Single Exposure
TWA	Time Weighted Average – generally referred to WES averaged over typical work day
	(usually 8 hours)
UEL	Upper Explosive Limit
UN Number	United Nations Number
WES	Workplace Exposure Standard - The airborne concentration of a biological or chemical
	agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a
	week). The WES relates to exposure that has been measured by personal monitoring
	using procedures that gather air samples in the worker's breathing zone.
References	
nelelelices	
Data	Unless otherwise stated comes from the EPA HSNO chemical classification information
Data	database (CCID).
Controls	EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances)
Controis	Regulations 2017, www.legislation.govt.nz
WES	The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available
	on their web site - www.worksafe.govt.nz.
Other References:	Suppliers SDS, EU ECHA, ingredients SDS's, ChemIDplus
Review	
Date	Reason for review
May 2023	5 yearly update, HSNO to GHS 7
-	· · · ·

Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely GHS 7 classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 21 1040951.

